



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORTALITY—Continued.

Weekly mortality table, foreign and insular cities—Continued.

Cities.	Week ended—	Estimated population.	Total deaths from all causes.	Deaths from—										
				Tuberculosis.	Plague.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Typhoid fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping cough.
Moscow	Apr. 2	1,500,000	693	90				2	6	3	19	17	29	4
Monterey	Apr. 24	100,000	89	10						2			3	1
Munich	Apr. 9	576,000	178	31								1	1	12
Do.	Apr. 16		183	26							2	1	2	12
Naples	Apr. 15	593,729	301					1						
Newcastle-on-Tyne	Apr. 16	285,891	102								1	1		1
Nottingham	do.	260,000	86								2		2	12
Nuremberg	Apr. 9	323,500	105	14									13	12
Para	Apr. 16	185,000	125	13	1		15							
Do.	Apr. 23		101	8	1		6						2	
Paris	Apr. 16	2,776,394	1,092	247						1	1	4	30	8
Plymouth	Apr. 23	124,180									1			1
Port Elizabeth	Mar. 19	32,959	13	2									1	
Do.	Mar. 26		8							1			1	
Do.	Apr. 9		19	1						1			1	
Port Said	Apr. 1	52,591	40	1										
Do.	Apr. 8		32	2						1				
Do.	Apr. 15		20	1										
Port of Spain	Apr. 9	60,000	25	10			1							
Prague	Apr. 16	233,344	93	21							1		3	
Quebec	Apr. 30	85,000										1		
Rangoon	Mar. 26	252,155	239	4	25			48						
St. Johns, N. F.	Apr. 23	31,000										1		
St. Petersburg	Apr. 9	1,678,000	918	130				17		13	14	18	87	15
Santa Cruz de Tenerife	Apr. 16	46,000	37	3						1				
Do.	Apr. 23		35	4							9	5		
Shanghai	Apr. 3	565,000	171	8				12			1	1		
Southampton	Apr. 23	127,157	26	8										1
Stettin	Apr. 16	239,000	81	5							1		1	1
Stockholm	Apr. 9	339,582	134	20							7	2	15	12
Talcahuano	do.	2,800									1			
Tarragona	Apr. 16	20,400	7											
Trieste	do.	221,124	105							2				
Turin	Apr. 7	391,968	165	21						1		1		
Valencia	Apr. 16	240,000	113	10							1			
Venice	Apr. 9	183,224	72	6						8			4	
Vienna	Apr. 16	2,107,981	774	138						1		10	36	10
Vigo	do.	40,000	13	3						1				
Vladivostok	Mar. 21	90,162	10	1							1			
Warsaw	Feb. 12	764,654	271	46				22		3	3	2	1	10
Do.	Feb. 19		284	62				16		4	4	1	2	7
Do.	Feb. 26		299	55				11		2	2	5	1	5
Yokohama	Apr. 11	407,432										3		

MORTALITY—FOREIGN AND INSULAR—COUNTRIES AND CITIES (untabulated).

AUSTRALIA—*New Castle*.—Month of February, 1910. Population 53,450. Total number of deaths from all causes 40, including typhoid fever 1, diphtheria 2, tuberculosis 7.

FRANCE—*Nice*.—Month of February, 1910. Population 150,881. Total number of deaths from all causes 267, including typhoid fever 1, diphtheria 2, tuberculosis 34,

St. Etienne.—Two weeks ended April 15, 1910. Population 150,000. Total number of deaths from all causes 182, including measles 2, scarlet fever 1, tuberculosis 30.

GREAT BRITAIN.—Week ended April 9, 1910.

England and Wales.—The deaths registered in 77 great towns correspond to an annual rate of 14.9 per 1,000 of the aggregate population, which is estimated at 16,940,895.

Ireland.—The deaths registered in 21 principal town districts correspond to an annual rate of 23.2 per 1,000 of the population, which is estimated at 1,151,790. The lowest rate was recorded at Tralee, viz, 5.3, and the highest at Lisburn, viz, 36.4.

Scotland.—The deaths registered in 8 principal towns correspond to an annual rate of 18.2 per 1,000 of the population, which is estimated at 1,864,194. The lowest rate was recorded at Greenock, viz, 29.1, and the highest in Dundee, viz, 29.4 per 1,000. The total number of deaths from all causes was 659, including typhoid fever 1, measles 74, scarlet fever 10, diphtheria 14.

ITALY—*Genoa.*—Two weeks ended April 15, 1910. Population 279,163. Total number of deaths from all causes 260, including typhoid fever 1, measles 1, diphtheria 2, tuberculosis 24.

By authority of the Secretary of Treasury:

WALTER WYMAN,

Surgeon-General,

United States Public Health and Marine-Hospital Service.